

ADAMS

Advanced **D**ata mining **A**nd **M**achine learning **S**ystem

Module: adams-ml

ML

Peter Reutemann

December 21, 2016

©2016



THE UNIVERSITY OF
WAIKATO
Te Whare Wānanga o Waikato



Except where otherwise noted, this work is licensed under
<http://creativecommons.org/licenses/by-sa/4.0/>

Contents

1 Flow	5
Bibliography	7

Chapter 1

Flow

The following control actors are available:

- *RemoveOutliers* – allows the user to interactively remove outliers.

The following transformers are available:

- *ClassSelector* – sets the column(s) in the data to act as class attribute.
- *PredictionEccentricity* – computes the *eccentricity* of the predictions generated by a regressor¹.

The following sinks are available:

- *ActualVsPredicted* – plots columns from spreadsheets vs each other.

The following spreadsheet readers are available:

- *SimpleArffSpreadSheetReader* – basic reader for ARFF files.

The following spreadsheet writers are available:

- *SimpleArffSpreadSheetWriter* – basic writer for ARFF files.

¹[https://en.wikipedia.org/wiki/Eccentricity_\(mathematics\)](https://en.wikipedia.org/wiki/Eccentricity_(mathematics))

Bibliography

- [1] *ADAMS* – Advanced Data mining and Machine learning System
<https://adams.cms.waikato.ac.nz/>